Profile: Specializing in programming, configuration & integration - with intense focus on business value for the customer/project! Worked in many roles. Really try to be a nice guy and have understanding for other peoples situation. Small & large projects. Public & private sector. Strong pressure or not. Take personal responsibility. Trying to _be_ www.j2ee.dk!

Details: born 1966-11-01, Danish citizenship, speciality is J2EE, math-physics student, educational background as M.Sc.EE, university graduated 1995, may work abroad

Languages: Danish, English, German (needs refresh), French (needs refresh)

Keywords: high activity level - "hit-the-ground-running" – teamplay attitude "how can I help?" - integrity - sincerety - humbleness - calm, polite & professional

Specificly:

- * worked _with_ BEA for a decade programming and tuning the server
- * worked _for_ BEA Systems as their consultant
- * _certified_ on BEA (together with other Sun J2EE certifications)

Worked in roles: J2EE developer, UML architect, AIX/Weblogic system operation supporter, technical tester, business case analyst, some Oracle DBA functions (create schema, indexes, verify explain plan, grant rights, update index statistics, monitor tablespace usage in Oracle system tables, move data between changing data models, etc.)

Worked in sectors: telecom, insurance, banks, finance, tax & duty, public sector citizen e-service, security system design

Certifications & education fx.:

- * M.Sc.EE from DTU with speciality in Computer Science and mathmatics
- * Passed 310-051 (Sun J2EE Arkitekt, 1st test in series)
- * Sun Certified Developer for Java 2 Platform (310-252A, 310-027)
- * Sun Certified Programmer for Java 2 Platform (310-025)
- * BEA Certified Specialist: Server

Contact: stigva@gmail.com

Main website: www.seniorconsultant.co.uk . **Hands-on articles** on privately hosted websites: j2ee.dk, hibernate.dk, designpatterns.dk, topsecurity.dk, cryptography.dk, whitepapers.dk

Historic record

• 2008.06 to 2010.03 – 1.7 year: SCR consultant - Role: technical tester - Project: public sector, electronic citizen service. Assignments: 1)Technical support to the projects external users (various banks) – troubleshooting on BEA WLS level. 2) Technical support to internal test team. 3) Oracle DB handling: create schemas, tables, move test data with SQL migration scripts, extract test data. 4) Perform test (Soap XML requests), analyzing logs. 5) Programming Java application with Swing GUI to extract production operation statistics. 6) Programming updates on log extraction tool. 7) JUnit test of JPA layer (Java Persistence API). 8) Programming JSP pages on Tomcat/Jetty to display test

- data. Technologies: Tinglysning (S2S and tinglysning.dk), J2EE, Webservices, OCES signature, UML. Tools: HP Quality Center, SoapUI Pro, Altova XML Spy, XML, XSD, DTD, Eclipse, Oracle, SQL-Plus, SQL Developer, BEA Weblogic, Tomcat, Jetty, JSP, JPA, JUnit
- 2006.11 to 2008.06 1 year, 7 months continously: ProData consultant Role: J2EE designer and developer Project: UML realization of usecases in appropriate webservice technology for Telecom client Architectural translation of usecases with business knowledge into J2EE application design to outsourced subcontractor in India. Adnalyzing data model. Technologies: UML, J2EE, Webservices, EJBQL, SOA. Tools: Eclipse, IntelliJ, Enterprise Architect, Oracle, BEA Weblogic
- 2006.09: 7N consultant Role: troubleshooter Project: troubleshooting DB2e in transport sector company. Did a setup review on (handheld device synchronization) performance bottlenecks in DB2e environment. Delivered 13-page report (excl. appendix), locating problem, suggesting changes and additional studies. Tools: HP4700 PDA, WinCE, DB2e, Websphere, WAS, DB2, J2EE, Wintel
- 2006.08: 7N consultant Role: middleware configurator Project: WLI fixed-price job
 for Telecom client. Basicly a servicepack upgrade and a quick application service check
 of a BEA Weblogic/WLI/Suse Linux/Oracle installation. New drivers and reduction of
 overall memory footprint. Tools: BEA Weblogic WLI, BEA Workshop, Suse Linux,
 Oracle.
- 2005.05 to 2006.07: 7N consultant Role: architect team member Project: infrastructure in insurance company. Serving in the IT-Architectural group. All-round assignments. Troubleshooting on propritary system bugs in production through reverse-engineering. Simplifying Weblogic/Websphere MQ integration architecture (replaced MQ with native BEA JMS and J2EE ETC/extended transaction client) later worked hard on stability problem troubleshooting. Network infrastructure setup with followup on firewall openings. Testcases for verification of network setup. BlutCoat setup analysis (reading raw extract config). Log consolidation. Recovery analysis of crashed CVS. Technologies: J2EE, Weblogic, IBM MQseries, webservices, BlueCoat, Eclipse.
- 2005.01 to 2005.08: BEA Systems Nordic consultant Role: AIX/Linux/Weblogic system operations supporter Project: support unit in bank/finance sector (Jyske Bank & Nykredit). "Hit-the-ground-running" allround-hand for 7 months on weblogic in AIX environment. Official BEA Systems consultant at JN-Data (operation support site for bank/finance: Jyske Bank & Nykredit). Management and troubleshooting (when WLS drops dead, applications don't run/communicate correctly, resolving configuration and performance issues,...). Handling initial response to alarms from surveillance regarding production problems (BEA server & portal). Resolving problems on-the-spot and/or analyze problems sufficiently for other people to take ownership of problems. Assisting when applying program changes to production. Technologies: J2EE, AIX, Weblogic 8.1, shell scripting, Java test programs,... whatever it takes to keep production flying and developers happy in their test-environment.
- 2000.03 to 2004.12: BULL consultant Role: J2EE developer and BEA Weblogic supporter Project: electronic registration of import/export for Danish Duty & Tax Specializing on security issues and Weblogic 4.5/5.1/7.1/8.1. Working in the developer department and equally assisting the inhouse AIX operation support unit. Various projects to handle electronically all trade between an EU member state and non-EU countries (import & export system). Troubleshooting problems relating to application/middleware: segment-faults, connection-loss, memory-leaks, single-point-of-failures, performance-issues (security related or not), stress-testing... Technologies: Weblogic, SSO, Security provider, passticket generator, session-id manager, JAAS, AIX, J2EE, Eclipse (from very first versions), Ant, fat client applet, servlet, Sun plugin, Webstart, Muffins, LDAP, Pearl, EJB 2.0 / 1.1, XDoclet, Domain model, Middlegen,

- Velocity, UML, design patterns, Ant, Sybase, RMI, Unit tests...
- **2000.02**: IBM consultant Role: J2EE developer and tester Project: Copenhagen Fur Center auction house. Bodyshopped on-location developer in a team of 10-15. Implementing print solution. Technologies: 3/9 barcode, J2ee, VisualAge for Java
- 1999.12: IBM consultant Role: J2EE developer Project: Østergård/Danish auto spareparts. Website functionality maintenance. Techologies: servlets, SQL, DB/2, VisualAge for Java
- **1998.02 to 1998.11**: IBM consultant Nordea. Bodyshopped on-location developer through continuously 9 months. Teknologies: C++/Java, JNI, Visual Sourcesafe, Websphere, Network dispatcher, servlet, webserver load distribution, round-robin,...
- **1997.10**: IBM consultant Role: C++ developer Project: Medi-care timeslot allocation application. Health-care timeplanning program for medical staff. In a team of 5, my part was the graphical diagram presentation. Technologies: C++, OS/2 PM, Gantt-diagram print module (color) with pre-view option.
- 1997.05: IBM consultant Role: CGI developer Project: Public sector "Erhvervs & selskabsstyrelsen". Bodyshopped developer building (early-days) CGI web-site for online ordering of company information. Teknologies: CGI, REXX, JavaScript, HTML 3.2, sendmail
- **1997.04**: IBM consultant Role: J2EE developer Project: BG Bank website applet. Teknologies: JDK 1.1, Applet, HTML
- **1997.01**: IBM consultant Role: C++ developer Project: "Danske Bank" dial-up homebanking solution. Developer on a 3-4 person team. Update of existing homebanking application. Use-case driven business-logic changes for the largest bank in Denmark ("Danske bank"). Teknologies: C++, "GUI-Master" cross-platform class library, OS/2
- **1995.09**: graduated with M.Sc. in Electronic Engineering (EE) from DTU. Main focus on computer science and mathematics
- 1986-91: programming intensively in C/C++/assembler on the i80x86 platform assembly, A86, interrupt 2/3/13/21, NMI, remote debugging, Turbo debugger, Periscope debugger, SoftIce, rs232, BIOS, device drivers programming (RAMDISK), TSR, FAT sector layout, hardware/software breakpoints, knew op-codes by heart. TurboC++, WatcomC++, GNU-C++, DJGPP, MASM, TASM, cross-pattform GUI libraries. MS-DOS Encyclopedia, Peter Norten assembler programming book, Stoustrup C++, undocumented 16-bit interrrupts in Win95,... I tried it all but failed to find any company which could make use of a skilled programmer at that time.

Epitat: I take special caution to give plenty of "space" to others and never, never claim to be the best head around in any regard - but I always try to give myself 100% (higher number = empty talk)!

Programming (years experience – level – used lately)					
JavaEE (J2EE)	13	high	latest used today		
Unix shellscript (grep,awk,sed,cut,)	8	average	latest used today		
JavaScript	12	average	latest used today		
SQL & PL/SQL	12	average	latest used today		
J2EE	•				

EJB 2.0	5	high	2008
Servlets	6	high	2008
Applet/Webstart	5	high	2008
JMS	2	high	latest used today
JDBC	5	average	latest used today
JSP	2	low	latest used today
JNI	1	average	1999
RMI	4	average	2007
HTML 4.0	10	average	latest used today
XML	4	average	latest used today
SAX/DOM	2	average	2009
Tools			
Eclipse	5	high	latest used today
. IntelliJ	2	average	2008
VisualAgeJava	3	high	2002
Log4J	5	high	2008
Maven	2	average	latest used today
Ant	4	high	latest used today
Enterprise Architect	2	average	latest used today
Designpatterns: 5 års erfaring, average niveau, 2008	5	average	2008
UML	4	average	2008
JUnit	3	average	2008
Middlegen (Velocity)	1	average	2004
Xdoclet	2	average	2004
CVS	2	average	2008
MSVC	4	average	2004
Subversion	1	average	latest used today
Struts	2	average	2006
Spring 1 average niveau, 2008	1	average	2008
Hibernate	4	average	2008
TOAD	4	average	latest used today
SQL Developer	4	average	latest used today
SoapUI Pro	3	average	latest used today
OS			

Linux 3 average latest used today	AIX 4.3.3/5.2 (Unix)	5	high	2005			
Middleware BEA Weblogic 4.51, 5.1, 7.1, 8.1, 9.1 6 10 high latest used today Jetty 3 average latest used today Apache 4 average latest used today Websphere 1 lavt 2007 MQseries 2 average 2005 5.2.1/5.3/6.0 3 average 2005 LDAP 3 average 2004 Security JAAS 4 high 2008 Security JAAS 4 high 2004 Security JaAS 4 high 2004 Security JaAS 4 high 2004 Security Bluecoat 2 average latest used today Networking NAT 4 average latest used today Pirewall 2 low	Linux	3	average	latest used today			
BEA Weblogic 4.51, 5.1, 7.1, 8.1, 9.1 6 high latest used today Tomcat 3 average 2008 Jetty 3 average latest used today Apache 4 average latest used today Websphere 1 lavt 2007 MQseries 2 average 2005 5.2.1/5.3/6.0 1 average 2005 LDAP 3 average 2004 Security JAAS 4 high 2008 Weblogic security 5 high 2004 SSL 4 average 2006 SSL 4 average latest used today Networking NAT 4 average latest used today Firewall 2 low latest used today Firewall 2 low latest used today C++/C 8 high 2000 (WatcomC++/ TurboC++/ VisualAgeC++) Perl 3	MS Windows	15	average	latest used today			
5.1, 7.1, 8.1, 9.1 6 3 average 2008 Jetty 3 average latest used today Apache 4 average latest used today Websphere 1 lavt 2007 MQseries 2 average 2005 5.2.1/5.3/6.0 1 average 2005 LDAP 3 average 2004 Security JAAS 4 high 2008 Weblogic security provider 5 high 2004 Bluecoat 2 average latest used today Networking NAT 4 average latest used today NAT 4 average latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 ADA 1 average 1990 ADA	Middleware						
Jetty		10	high	latest used today			
Apache	Tomcat	3	average	2008			
Websphere 1 lavt 2007 MQseries 2 average 2005 S.2.1/5.3/6.0 2 average 2005 SunOne/IPlanet 1 average 2004 Security JAAS 4 high 2008 Weblogic security provider 5 high 2004 Bluecoat 2 average 2006 SSL 4 average latest used today Networking NAT 4 average latest used today DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 M68k assembler 1 average 1990 Fortran 3 average 1990	Jetty	3	average	latest used today			
MQseries 2 average 2005 SunOne/IPlanet 1 average 2005 LDAP 3 average 2004 Security JAAS 4 high 2008 Weblogic security 5 high 2004 Provider 2 average 2006 SSL 4 average latest used today Networking NAT 4 average latest used today DNS 4 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 M68k assembler 1 average 1990 Fortran 3 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	Apache	4	average	latest used today			
5.2.1/5.3/6.0 Image: SunOne/IPlanet 1 average 2005 LDAP 3 average 2004 Security JAAS 4 high 2008 Weblogic security provider 5 high 2004 Bluecoat 2 average 2006 SSL 4 average latest used today NAT 4 average latest used today DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1990 Fortran 3 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	Websphere	1	lavt	2007			
LDAP 3 average 2004 Security JAAS 4 high 2008 Weblogic security provider 5 high 2004 Bluecoat 2 average 2006 SSL 4 average latest used today NAT 4 average latest used today DNS 4 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 M68k assembler 1 average 1990 Pascal 5 average 1990 ADA 1 average 1989 Modula-2 5 average 1990		2	average	2005			
Security JAAS 4 high 2008 Weblogic security provider 5 high 2004 Bluecoat 2 average 2006 SSL 4 average latest used today NAT 4 average latest used today DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 M68k assembler 1 average 1992 Fortran 3 average 1990 ADA 1 average 1989 Modula-2 5 average 1990	SunOne/IPlanet	1	average	2005			
JAAS 4 high 2008 Weblogic security provider 5 high 2004 Bluecoat 2 average 2006 SSL 4 average latest used today NAT 4 average latest used today DNS 4 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 M68k assembler 1 average 1990 Pascal 5 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	LDAP	3	average	2004			
Weblogic security provider Bluecoat Bluecoat SSL 4 average 2006 SSL Networking NAT A average latest used today NAT DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 1990 M68k assembler 1 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1989 Modula-2 5 average 1990	Security						
provider 2 average 2006 SSL 4 average latest used today Networking NAT 4 average latest used today DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1990 Fortran 3 average 1990 ADA 1 average 1989 Modula-2 5 average 1990	JAAS	4	high	2008			
SSL 4 average latest used today Networking NAT 4 average latest used today DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	_	5	high	2004			
Networking NAT	Bluecoat	2	average	2006			
NAT 4 average latest used today DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	SSL	4	average	latest used today			
DNS 4 low latest used today Firewall 2 low latest used today On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	Networking						
Firewall 2 low latest used today On way to be retired 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	NAT	4	average	latest used today			
On way to be retired OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	DNS	4	low	latest used today			
OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	Firewall	2	low	latest used today			
OS/2 3 average 1999 C++/C 8 high 2000 (WatcomC++ / TurboC++ / VisualAgeC++) Perl 3 average 2004 M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990							
VisualAgeC++	OS/2	3	average	1999			
M68k assembler 1 average 1990 Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	C++/C	8	_				
Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	Perl	3	average	2004			
Pascal 5 average 1992 Fortran 3 average 1990 ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	M68k assembler	1	_	1990			
ADA 1 average 1990 Lisp 1 average 1989 Modula-2 5 average 1990	Pascal	5	_	1992			
Lisp 1 average 1989 Modula-2 5 average 1990	Fortran	3	average	1990			
Modula-2 5 average 1990	ADA	1	average	1990			
	Lisp	1	average	1989			
Z80 Basic 3 average 1984	Modula-2	5	average	1990			
	Z80 Basic	3	average	1984			

i80x86 assembler 6	high	1995
--------------------	------	------

Additional certification/education

Fundamentals of J2EE Web application Development Using BEA - 2003

Developing enterprise applications with BEA WebLogic server EJB and JMS - 2003

IBM: Presentation techniques 1997IBM course

IBM: DB2 & SQL Basics - 1997

IBM course IBM: OTU 1 (Java) – 1997